



## VECTIO U LE INTERCITY

### TECHNICAL DATA SHEET – COUNTRY NAME

#### DIMENSIONS

Length	(mm)	9265
Width	(mm)	2350
Height	(mm)	3146 (with A/C)
Wheelbase	(mm)	4271
Front Track Width	(mm)	2020
Rear Track Width	(mm)	1804
Front Overhang	(mm)	2116
Rear Overhang	(mm)	2878
Interior Height	(mm)	2480/1974 mm

#### WEIGHTS

Axle Capacity (Front)	(kg)	4500
Axle Capacity (Rear)	(kg)	9000
Gross Vehicle Weight	(kg)	13500

#### PASSENGER CAPACITY

Standard Seat Layout	29+21+1 wch (4 foldable seats) +1
Seat Layout Options	33+21+1 29+21+1 wch (2 foldable seats) +1 25+21+2 wch+1

#### TECHNICAL SPECIFICATIONS

##### Engine

Manufacturer / Type	MAN D0836 LOH 73, Euro 6
Number of Cylinders	6
Engine Volume	6871 cc
Max. Power	184 kW (250 HP) @2300 rpm
Max. Torque	1000 Nm @ 1200-1750 rpm
Engine Location	Rear

##### Transmission

Automatic Transmission (ZF ECOLIFE)

##### Suspension

Front	2 air bellows, 2 hydraulic shock absorbers, 1 levelling sensor
Rear	4 air bellows, 4 hydraulic shock absorbers, 2 levelling sensors

#### TECHNICAL SPECIFICATIONS

##### Differential

Manufacturer	DANA
Diff. Ratio	4.3

##### Brakes

Front and Rear	Full air disc brakes
----------------	----------------------

##### Steering System

Hydraulic

##### Doors

Front	Single flap outward swinging door
Middle	Double flap outward swinging door

##### Electrical System

Batteries	2 x 180Ah
Alternator	2 x 120A

##### Tyres

265/70 R19,5

##### Gradeability

(%) 34

##### Fuel Tank Capacity

(lt) 200

##### Ad-blue tank capacity

(lt) 20

##### Turning Radius

Kerb to kerb (mm) 6900

##### Body

Monocoque

\*Otokar Otomotiv ve Savunma Sanayii A.Ş reserves the right to make changes in the specifications and the design of the products without prior notice. Some data may refer nominal values. Images shown may have been prepared for generic use and some of the information and/or accessories which are not available in some countries or which, in order to satisfy local market demand or regulatory controls in such countries, may only be available in different specifications or configurations.





## STANDARD AND OPTIONAL EQUIPMENTS

### POWERTRAIN

ABS, ASR, EBS	S
Cruise control	S

### AC

AC (24kW SUTRAK)	S
Without AC	O

### WINDOWS

Single glazed fixed side windows	S
Double glazing driver's side window	S
Double glazing front and middle door	S
Single glazed 1/3 sliding side windows	O
Double glazed fix side windows	O
Tinted double glazed fix side windows	O

### ACCESSIBILITY

Manual ramp	S
Wheelchair area (with Q-strait mounting)	S
Provision for second wheelchair user	S
Kneeling system with ECAS	O
Electrically controlled ramp	O

### SEATING

Reclining antivandal type seats with two point seatbelt	S
Air assisted, heated driver seat with three point seat belt	S
Passenger seats with three point seatbelt	O

### TICKETING

Preparation of ticket machine	S
Provisions for cash collector	S
Ticket machine	O

### SAFETY

Speed limiter	S
DRL (Daytime running lights)	S
Additional interior mirror at the middle door area	S
Illuminated STOP Sign	S
Rear parking sensor with flasher	S
Stop buttons with Braille alphabet	S
Rear view camera	O
Fire extinguisher system	O

### PASSENGER INFO

FMS (Fleet management system) Provision	S
Digital clock with thermometer	S
Preparation of digital signboard	S
Preparation of digital signboard with IBIS cabling	S
Announcement system	S
Gooseneck microphone for driver	S
Radio, cd, mp3 player	S
19" LCD Screen (JAMESON) / DVD Unit (KENWOOD)	O
Digital signboards (POLARIS / GORBA)	O

### DRIVER COMFORT

Adjustable steering column	S
Front and driver side sun visors	S
Locker	S
Coat hanger	S
Driver cabin	S

### BODY

Fog lamps (front and rear)	S
Anti corrosion package for body and powertrain	S
Trailer hook and ski rack preparation	S
Rear view parking sensor	S
Multiplex modules with CAN Bus Communication	S
Metallic colour	O

### OTHER FEATURES

Digital tachograph	S
Fire extinguisher	S
Preheater with timer	S
Engine compartment fire alarm system	S
Provisions for pneumatic horn	S
24V plug NATO type at rear for charging the batteries	S
Provisions for alcoholmeter	S
Provisions for digital destination signboards (Front, side and rear)	S
Provisions for illuminated schoolbus sign (Front and rear)	S
Digital, integrated heating & cooling control system	S
Additional oil filter in pneumatic system	S
External air plugs	S
Interior partition panels	S
Heated, remote controlled rear view mirrors	S



Heated windshield	S
Electrically controlled roof hatch	S
Extractor fan roof mounted	S
Front heater in the driver compartment	S
Additional heaters	S
LED interior lighting	S
Luggage racks	S

Insert Dealer Information